

**AMENDMENTS TO THE CLAIMS**

**This listing of claims will replace all prior versions and listings of claims in the application:**

**LISTING OF CLAIMS:**

1. (canceled).
2. (currently amended): The image reading apparatus ~~A film autoloader~~ according to ~~claim 1~~ claim 5, wherein, with the film loading section, the spliced film that is taken up in roll form in advance is loaded.

3. (currently amended): The image reading apparatus ~~A film autoloader~~ according to ~~claim 1~~ claim 5, the film autoloader further comprising:

a loop forming section, which is provided at a downstream side with respect to the film separating section along a transporting direction of the photographic film by the film transporting portion, and by which the photographic film transported by the film transporting portion is bent along a substantially thickness direction thereof so as to form a loop-shaped portion therein when another photographic film is on the reading transport path.

4. (currently amended): The image reading apparatus ~~A film autoloader~~ according to ~~claim 1~~ claim 5, wherein the film separating section separates the first photographic film from

the spliced film by cutting the spliced film in a vicinity of the film joint portion in the spliced film.

5. (original): An image reading apparatus comprising:

a film autoloader for separating one photographic film from a plurality of photographic films and supplying the photographic film to an image reading apparatus for reading image recorded on the photographic film, comprising:

a film loading section for loading therewith a spliced film in which the plurality of photographic films are connected in a longitudinal direction thereof;

a film feeding portion for feeding, from the film loading section, a head portion of the spliced film loaded with the film loading section;

a joint detecting section for detecting a film joint portion between a first photographic film and a second photographic film in the spliced film fed from the film loading section, the second photographic film being fed next to the first photographic film;

a film separating section for separating the first photographic film from the spliced film on the basis of information from the joint detecting section; and

a film transporting portion for transporting the first photographic film separated from the sliced film by the film separating section to a reading transport path provided at the image reading apparatus;

a reading transporting portion for transporting the photographic film supplied to the reading transport path by the film autoloader;

an image reading section for reading, at a predetermined reading position, the image of the photographic film that is transported along the reading transport path by the reading transporting portion;

a film accepting section for accepting the photographic film that is subjected to an image reading by the image reading section;

a transport merging portion provided between the film transporting portion and the reading transport path;

a film output path, which is connected to the reading transport path via the transport merging portion, for guiding the photographic film from the transport merging portion to the film accepting section;

a film output portion for outputting, to the film accepting section, the photographic film that is transported into the film output path; and

a transport switching section, which is provided in the transport merging portion, for switching between a state in which the photographic film transported by the film transporting portion is guided to the reading transport path, and a state in which the photographic film transported from the reading transport path to the transport merging portion by the reading transporting portion is guided to the film output path.

6. (original): An image reading apparatus according to claim 5, wherein the image reading section performs a prescanning for preliminary reading the image on the photographic film when the photographic film is transported from one end of the reading transport path, which is located at a side of the transport merging portion, to another end of the reading transport path,

and the image reading section performs a fine scanning for finely reading the image on the photographic film on the basis of image information obtained by the prescanning when the photographic film is transported from the other end of the reading transport path to the one end of the reading transport path.

7-11. (canceled):

12. (previously presented): The image reading apparatus according to claim 5, wherein the plurality of photographic films are connected in series to form a continuous film.

13. (canceled).

14. (currently amended): An image reading apparatus, comprising:

~~a film autoloader according to claim 13; 5 and~~

a film autoloader for separating one photographic film from a plurality of photographic films, comprising:

a film loading section for loading therewith a spliced film in which the plurality of photographic films are spliced in series to form a continuous film in a longitudinal direction thereof;

a film feeding portion for feeding, from the film loading section, a head portion of the spliced film loaded with the film loading section;

a joint detecting section for detecting the splice portion between a first photographic film and a second photographic film in the spliced film fed from the film loading section, the second photographic film disposed next to the first photographic film;

a film separating section for separating the first photographic film from the spliced film on the basis of information from the joint detecting section; and

a film transporting portion for transporting the first photographic film separated from the spliced film by the film separating section; and

an image reading section for accepting the first photographic film transported from the film transporting portion,

wherein the image reading section performs ~~at least one of a pre-scanning and a fine scanning on the first photographic film to read at least one image from the first photographic film;~~ and

wherein the image reading section has a film take-up section which takes up the photographic film such that the photographic film which has been subject to the pre-scanning is accommodated to the film take-up section, thereafter, the photographic film which has been subject to the pre-scanning is conveyed from the film take-up section in order to be subject to the fine scanning.

15. (new): The image reading apparatus according to claim 5, wherein the transport merging portion is provided in an intersecting portion of a film transporting path of the film transporting portion, the reading transport path and the film output path, and

wherein a state in which the photographic film transported from the film transporting path is guided to the reading transport path, and a state in which the photographic film transported from the reading transport path is guided to the film output path, are switched by the transport switching section.